

TEMPORARY

No. 66471-T

TEMPORARY

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUN 16 2000

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed JUN 16 2000

\*\*\*\*\*

The applicant **City of Winnemucca**, hereby makes application for permission to change the  
**point of diversion of a portion** of water heretofore appropriated under **Application 24640 Cert.**  
**7122**

\*\*\*\*\*

1. The source of water is **underground**
2. The amount of water to be changed **0.05 C.F.S.**
3. The water to be used for **municipal and domestic**
4. The water heretofore permitted for **municipal and domestic**
5. The water is to be diverted at the following point **within the NE¼ SW¼ of Section 15, T.35N., R.37E., M.D.B.&M., or at a point from which the SW corner of said Section 15 bears S 45° 30' W 2480 feet.**
6. The existing permitted point of diversion is located within **SE¼ SW¼ of Section 15, T.35N., R.37E., M.D.B.&M., or at a point from which the SE corner of said Section 15 bears S 67° 45' E a distance of 3072 feet.**
7. Proposed place of use **S½ of Section 15, T.35N., R.37E., M.D.B.&M.**
8. Existing place of use **S½ of Section 15, T.35N., R.37E., M.D.B.&M.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **drilled well and pipeline**
12. Estimated cost of works in excess of **\$60,000.00**
13. Estimated time required to construct works **1 year**
14. Estimated time required to complete the application of water to beneficial use **n/a**
15. Remarks: **The City of Winnemucca wishes to file an application to drill a well for fire protection for the Winnemucca Airport. It is necessary to drill a well to determine if a sufficient quantity of water is available at the proposed point of diversion and to provide for temporary fire protection at the Airport.**

Desert-Mountain Surveying as agent  
By John H. Milton III, P.L.S., S.W.R.S.  
By s/John H. Milton III  
146 West Second Street  
Winnemucca, Nevada 89445

Compared my/cmf d1/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 24640, Certificate 7122 is issued subject to the terms and conditions imposed in said Permit 24640, Certificate 7122 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on **August 23, 2001** at which time all rights herein granted shall revert to the right being changed by this temporary permit.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 0.056 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Water must be placed to beneficial use on or before:

Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this 24th day of, August, A.D. 2000

  
State Engineer

**TEMPORARY**

**EXPIRED**  
**DATE** AUG 23 2001

2  
10/10/10